



Tyria Lighting Technology Co., Ltd


2F Building No. 3, Hongxin Road, Shuitian Industrial Park, Shiyan Town, Baoan District, Shenzhen, Guangdong, China



Tel: +86 755 3693 1652 Email: info@tyrialight.com Web: www.tyrialight.com



Procusts Catalogue


New Arrival - SMD2835 Built-in IC designed constant current strip	P2 ~ 5
New Arrival - SMD1808 led strip	P6 ~ P7
SMD2216 led strip	P7
SMD3528 led strip	P8 ~ P9
SMD5050 led strip	P10 ~ P11
SMD2835 led strip	P11 ~ P12
SMD5630 led strip	P13
SMD3014 led strip	P14
SMD3014/020 Side View led strip	P15
SMD5050 RGBW led strip	P16
CCT Adjustable flexible led strip	P17 ~ P18
Constant current led strip	P19 ~ P21
190LM/W High Efficiency	P22 ~ P23

SMD2835 Built-in IC designed constant current led strip









NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour Temperature	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		5m a roll Built-in constant current led strip light ✂connection max 37m	TY-ST28Q60V24W10-CCB	SMD 2835	60LEDs	10mm	DC24V	>80	2.4W	● 2800-3200K	300LM(±10%)	3 Years
2										● 4000-4500K	310LM(±10%)	3 Years
3										☾ 6000-6500K	320LM(±10%)	3 Years
4		5m a roll Built-in constant current led strip light ✂connection max 30m							3.6W	● 2800-3200K	430LM(±10%)	3 Years
5										● 4000-4500K	440LM(±10%)	3 Years
6										☾ 6000-6500K	450LM(±10%)	3 Years
7		5m a roll Built-in constant current led strip light ✂connection max 25m							4.8W	● 2800-3200K	570LM(±10%)	3 Years
8										● 4000-4500K	580LM(±10%)	3 Years
9										☾ 6000-6500K	590LM(±10%)	3 Years
10		5m a roll Built-in constant current led strip light ✂connection max 22m							6W	● 2800-3200K	680LM(±10%)	3 Years
11										● 4000-4500K	690LM(±10%)	3 Years
12										☾ 6000-6500K	700LM(±10%)	3 Years
13		5m a roll Built-in constant current led strip light ✂connection max 20m							7.2W	● 2800-3200K	800LM(±10%)	3 Years
14										● 4000-4500K	810LM(±10%)	3 Years
15										☾ 6000-6500K	820LM(±10%)	3 Years









16		5m a roll Built-in constant current led strip light ✖connection max 28m	TY-ST28Q70V24W10-CCB	SMD 2835	70LEDs	10mm	DC24V	>80	2.4W	● 2800-3200K	360LM(±10%)	3 Years						
17		● 4000-4500K								370LM(±10%)	3 Years							
18		☾ 6000-6500K								380LM(±10%)	3 Years							
19		5m a roll Built-in constant current led strip light ✖connection max 22m							TY-ST28Q70V24W10-CCB	SMD 2835	70LEDs	10mm	DC24V	>80	3.6W	● 2800-3200K	510LM(±10%)	3 Years
20																● 4000-4500K	520LM(±10%)	3 Years
21																☾ 6000-6500K	530LM(±10%)	3 Years
22		5m a roll Built-in constant current led strip light ✖connection max 18m							TY-ST28Q70V24W10-CCB	SMD 2835	70LEDs	10mm	DC24V	>80	4.8W	● 2800-3200K	665LM(±10%)	3 Years
23																● 4000-4500K	675LM(±10%)	3 Years
24																☾ 6000-6500K	685LM(±10%)	3 Years
25		5m a roll Built-in constant current led strip light ✖connection max 16m							TY-ST28Q70V24W10-CCB	SMD 2835	70LEDs	10mm	DC24V	>80	6W	● 2800-3200K	795LM(±10%)	3 Years
26	● 4000-4500K		805LM(±10%)	3 Years														
27	☾ 6000-6500K		810LM(±10%)	3 Years														
28	5m a roll Built-in constant current led strip light ✖connection max 14m	TY-ST28Q70V24W10-CCB	SMD 2835	70LEDs	10mm	DC24V	>80	7.2W	● 2800-3200K	940LM(±10%)	3 Years							
29									● 4000-4500K	950LM(±10%)	3 Years							
30									☾ 6000-6500K	960LM(±10%)	3 Years							
31		5m a roll Built-in constant current led strip light ✖connection max 26m	TY-ST28Q120V24W10-CCB	SMD 2835	120LEDs	10mm	DC24V	>80	4.8W	● 2800-3200K	620LM(±10%)	3 Years						
32		● 4000-4500K								630LM(±10%)	3 Years							
33		☾ 6000-6500K								640LM(±10%)	3 Years							
34		5m a roll Built-in constant current led strip light ✖connection max 20m							TY-ST28Q120V24W10-CCB	SMD 2835	120LEDs	10mm	DC24V	>80	7.2W	● 2800-3200K	870LM(±10%)	3 Years
35																● 4000-4500K	880LM(±10%)	3 Years
36																☾ 6000-6500K	890LM(±10%)	3 Years
37		5m a roll Built-in constant current led strip light ✖connection max 17m							TY-ST28Q120V24W10-CCB	SMD 2835	120LEDs	10mm	DC24V	>80	9.6W	● 2800-3200K	1140LM(±10%)	3 Years
38																● 4000-4500K	1150LM(±10%)	3 Years
39																☾ 6000-6500K	1160LM(±10%)	3 Years
40		5m a roll Built-in constant current led strip light ✖connection max 15m							TY-ST28Q120V24W10-CCB	SMD 2835	120LEDs	10mm	DC24V	>80	12W	● 2800-3200K	1350LM(±10%)	3 Years
41																● 4000-4500K	1370LM(±10%)	3 Years
42																☾ 6000-6500K	1380LM(±10%)	3 Years
43		5m a roll Built-in constant current led strip light ✖connection max 13m							TY-ST28Q120V24W10-CCB	SMD 2835	120LEDs	10mm	DC24V	>80	14.4W	● 2800-3200K	1600LM(±10%)	3 Years
44																● 4000-4500K	1620LM(±10%)	3 Years
45	☾ 6000-6500K		1630LM(±10%)	3 Years														

46		5m a roll Built-in constant current led strip light ※connection max 19m	TY-ST28Q140V24W10-CCB	SMD 2835	140LEDs	10mm	DC24V	>80	4.8W	● 2800-3200K	710LM(±10%)	3 Years
47										● 4000-4500K	720LM(±10%)	3 Years
48										☾ 6000-6500K	730LM(±10%)	3 Years
49		5m a roll Built-in constant current led strip light ※connection max 15m							7.2W	● 2800-3200K	1000LM(±10%)	3 Years
50										● 4000-4500K	1010LM(±10%)	3 Years
51										☾ 6000-6500K	1020LM(±10%)	3 Years
52		5m a roll Built-in constant current led strip light ※connection max 12m							9.6W	● 2800-3200K	1320LM(±10%)	3 Years
53										● 4000-4500K	1330LM(±10%)	3 Years
54										☾ 6000-6500K	1340LM(±10%)	3 Years
55		5m a roll Built-in constant current led strip light ※connection max 11m							12W	● 2800-3200K	1600LM(±10%)	3 Years
56										● 4000-4500K	1610LM(±10%)	3 Years
57										☾ 6000-6500K	1620LM(±10%)	3 Years
58	5m a roll Built-in constant current led strip light ※connection max 9m	14.4W	● 2800-3200K	1850LM(±10%)	3 Years							
59			● 4000-4500K	1860LM(±10%)	3 Years							
60			☾ 6000-6500K	1870LM(±10%)	3 Years							
61		5m a roll Built-in constant current led strip light ※connection max 18m	TY-ST28Q180V24W10-CCB	SMD 2835	180LEDs	10mm	DC24V	>80	7.2W	● 2800-3200K	900LM(±10%)	3 Years
62										● 4000-4500K	915LM(±10%)	3 Years
63										☾ 6000-6500K	920LM(±10%)	3 Years
64		5m a roll Built-in constant current led strip light ※connection max 14m							10.8W	● 2800-3200K	1270LM(±10%)	3 Years
65										● 4000-4500K	1290LM(±10%)	3 Years
66										☾ 6000-6500K	1300LM(±10%)	3 Years
67		5m a roll Built-in constant current led strip light ※connection max 12m							14.4W	● 2800-3200K	1670LM(±10%)	3 Years
68										● 4000-4500K	1688LM(±10%)	3 Years
69										☾ 6000-6500K	1700LM(±10%)	3 Years
70		5m a roll Built-in constant current led strip light ※connection max 10m							18W	● 2800-3200K	2000LM(±10%)	3 Years
71										● 4000-4500K	2020LM(±10%)	3 Years
72										☾ 6000-6500K	2035LM(±10%)	3 Years































73		5m a roll Built-in constant current led strip light ✖connection max 14m	TY-ST28Q240V24W10-CCB	SMD 2835	240LEDs	10mm	DC24V	>80	9.6W	● 2800-3200K	1200LM(±10%)	3 Years						
74		● 4000-4500K								1230LM(±10%)	3 Years							
75		☾ 6000-6500K								1250LM(±10%)	3 Years							
76		5m a roll Built-in constant current led strip light ✖connection max 11m							TY-ST28Q240V24W10-CCB	SMD 2835	240LEDs	10mm	DC24V	>80	14.4W	● 2800-3200K	1680LM(±10%)	3 Years
77																● 4000-4500K	1700LM(±10%)	3 Years
78																☾ 6000-6500K	1720LM(±10%)	3 Years
79		5m a roll Built-in constant current led strip light ✖connection max 9m							TY-ST28Q240V24W10-CCB	SMD 2835	240LEDs	10mm	DC24V	>80	19.2W	● 2800-3200K	2180LM(±10%)	3 Years
80																● 4000-4500K	2200LM(±10%)	3 Years
81																☾ 6000-6500K	2220LM(±10%)	3 Years

SMD1808 flexible led strip







NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour Temperature	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		120leds 1808 flexible led strip	TY-ST18Q120V12/24W08-C	SMD 1808	120LEDs	8mm	DC12/24V	>95	9.6W	 <ul style="list-style-type: none"> ● 2400-2600K ● 2600-2800K ● 2900-3100K ● 3300-3700K ● 3800-4200K ● 5000-5500K ● 6000-6500K 	730~920LM	3 Years
2		240leds Single Row 1808 flexible led strip	TY-ST18Q240V24W03-C		240LEDs	3mm	DC24V	>95	8W		580~860LM	3 Years
			TY-ST18Q240V24W04-C			4mm			10W		580~860LM	
			TY-ST18Q240V24W10-C			10mm			19.2W		1500~1830LM	
3		280leds Single Row 1808 flexible led strip	TY-ST18Q280V24W10-C		280LEDs	10mm	DC24V	>95	19.2W		1764~2130LM	3 Years
4		300leds Single Row 1808 flexible led strip	TY-ST18Q300V24W10-C		300LEDs	10mm	DC24V	>95	20W		1560~1900LM	3 Years
5		420leds Single Row 1808 flexible led strip	TY-ST18Q420V24W10-C		420LEDs	10mm	DC24V	>95	24W		1830~2200LM	3 Years
6		560leds Single Row 1808 flexible led strip	TY-ST18Q560V24W10-C	560LEDs	10mm	DC24V	>95	24W	1856~2220LM	3 Years		
7		700leds Single Row 1808 flexible led strip	TY-ST18Q700V24W10-C	700LEDs	10mm	DC24V	>95	24W	1886~2250LM	3 Years		




8		720leds Single Row 1808 flexible led strip	TY-ST18Q720V24W08-C	SMD 1808	720LEDs	8mm	DC24V	>95	20W	<ul style="list-style-type: none">  2400-2600K  2600-2800K  2900-3100K  3300-3700K  3800-4200K  5000-5500K  6000-6500K 	1600~1970LM	3 Years
			TY-ST18Q720V24W10-C			10mm	DC24V	>95	24W		1600~1970LM	3 Years

SMD2216 flexible led strip






NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour Temperature	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		60leds 2216 flexible led strip	TY-ST22Q60V24W05-C	SMD 2216	60LEDs	5mm	DC24V	>90	4.8W	<ul style="list-style-type: none">  2700K  3000K  4000K  6000K 	300~310LM	3 Years
			TY-ST22Q60V12W08-C			8mm	DC12V					
2		120leds 2216 flexible led strip	TY-ST22Q120V12W08-C	SMD 2216	120LEDs	8mm	DC12/24V	>90	9.6W	<ul style="list-style-type: none">  2700K  3000K  4000K  6000K 	600~610LM	3 Years
			TY-ST22Q120V24W10-C			10mm	DC12/24V					
3		180leds 2216 flexible led strip	TY-ST22Q180V24W10-C	SMD 2216	180LEDs	10mm	DC24V	>90	14.4W	<ul style="list-style-type: none">  2700K  3000K  4000K  6000K 	900~920LM	3 Years
			TY-ST22Q180V24W10-C									
4		240leds Single Row 2216 flexible led strip	TY-ST22Q240V24W05-C	SMD 2216	240LEDs	5mm	DC24V	>90	10W	<ul style="list-style-type: none">  2700K  3000K  4000K  6000K 	1200~1250LM	3 Years
			TY-ST22Q240V24W10-C			10mm			19.2W			
5		300leds Single Row 2216 flexible led strip	TY-ST22Q300V24W10-C	SMD 2216	300LEDs	10mm	DC24V	>90	20W	<ul style="list-style-type: none">  2700K  3000K  4000K  6000K 	1230~1270LM	3 Years
6		420leds Single Row 2216 flexible led strip	TY-ST22Q420V24W10-C	SMD 2216	420LEDs	10mm	DC24V	>90	24W	<ul style="list-style-type: none">  2700K  3000K  4000K  6000K 	1560~1600LM	3 Years







SMD3528 flexible led strip

NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		60leds 3528 flexible led strip	TY-ST35Q60V12W08-C	60LEDs	5mm	DC12V	>90	4.8W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ☾ White 	R: 90LM Y: 70LM G: 270LM B: 57LM W: 285~310LM	3 Years	
			TY-ST35Q60V12/24W08-C		8mm	DC12/24V	>90	4.8W				
			TY-ST35Q60V12/24W10-C		10mm	DC12/24V	>90	4.8W				
2		60leds 3528 RGB flexible led strip	TY-ST35Q60V12W08-RGB	60LEDs	8mm	DC12V	/	12W	■ ■ ■ RGB	150LM	3 Years	
3		96leds 3528 flexible led strip	TY-ST35Q96V12/24W08-C	96LEDs	8mm	DC12/24V	>90	7.6W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ☾ White 	R: 145LM Y: 110LM G: 430LM B: 95LM W: 455~500LM	3 Years	
4		120leds 3528 flexible led strip	TY-ST35Q120V12W05-C	120LEDs	5mm	DC12V	>90	9.6W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ☾ White 	R: 180LM Y: 140LM G: 540LM B: 115LM W: 565~620LM	3 Years	
			TY-ST35Q120V12/24W08-C		8mm	DC12/24V	>90	9.6W				
			TY-ST35Q120V12/24W10-C		10mm	DC12/24V	>90	9.6W				
5		180leds 3528 flexible led strip	TY-ST35Q180V24W10-C	180LEDs	10mm	DC24V	>90	14.4W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ☾ White 	R: 270LM Y: 210LM G: 810LM B: 175LM W: 850~920LM	3 Years	
6		240leds Single Row 3528 flexible led strip	TY-ST35Q240V12/24W10-C	240LEDs	10mm	DC24V	>90	19.2W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ☾ White 	R: 360LM Y: 185LM G: 1080LM B: 230LM W: 1130~1230LM	3 Years	








7		240leds Double Rows 3528 flexible led strip	TY-ST35Q240V24W15-C	SMD 3528	240LEDs	15mm	DC24V	>90	19.2W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ● White 	R: 360LM Y: 185LM G: 1080LM B: 230LM W: 1130~1230LM	3 Years
8		360leds Triplex Rows 3528 flexible led strip	TY-ST35Q360V24W20-C		360LEDs	20mm	DC12/24V	>90	28.8W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ● White 	R: 540LM Y: 415LM G: 1620LM B: 350LM W: 1700~1840LM	3 Years
9		480leds Four Rows 3528 flexible led strip	TY-ST35Q480V24W28-C		480LEDs	28mm	DC24V	>90	38.4W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ● White 	R: 720LM Y: 550LM G: 2150LM B: 460LM W: 2260~2500LM	3 Years









SMD5050 flexible led strip

NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		30leds 5050 flexible led strip	TY-ST50Q30V12/24W10-C	SMD 5050	30LEDs	10mm	DC12/24V	>90	7.2W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ● White 	R: 135LM Y: 82LM G: 405LM B: 60LM W: 420~520LM	3 Years
		30leds 5050 RGB flexible led strip	TY-ST50Q30V12/24W10-RGB					/	7.2W	■ ■ ■ RGB	190LM	3 Years
2		S-shaped 42leds 5050 RGB bendable flexible led strip	TY-ST50Q42V12W12-SRGB	SMD 5050	42LEDs	12mm	DC12V	/	10.08W	■ ■ ■ RGB	260LM	3 Years
3		48leds 5050 flexible led strip	TY-ST50Q48V12/24W10-C	SMD 5050	48LEDs	10mm	DC12/24V	>90	11.52W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ● White 	R: 216LM Y: 132LM G: 650LM B: 100LM W: 680~820LM	3 Years
		48leds 5050 RGB flexible led strip	TY-ST50Q48V12/24W10-RGB					/		■ ■ ■ RGB	310LM	3 Years
4		60leds 5050 flexible led strip	TY-ST50Q60V12W08-C	SMD 5050	60LEDs	8mm	DC12V	>90	14.4W	<ul style="list-style-type: none"> ● Red ● Yellow ● Green ● Blue ● White 	R: 270LM Y: 165LM G: 810LM B: 125LM W: 850~1030LM	3 Years
			TY-ST50Q60V12/24W10-C			10mm	DC12/24V	>90	14.4W			
			TY-ST50Q60V24W12-C			12mm	DC24V	>90	14.4W			
5		60leds 5050 RGB flexible led strip	TY-ST50Q60V12W08-RGB	SMD 5050	60LEDs	8mm	DC12V	/	14.4W	■ ■ ■ RGB	310LM	3 Years
			TY-ST50Q60V12/24W10-RGB			10mm	DC12/24V	/	14.4W			
			TY-ST50Q60V24W12-RGB			12mm	DC24V	/	14.4W			






6		96leds 5050 flexible led strip	TY-ST50Q96V24W12-C	SMD 5050	96LEDs	12mm	DC24V	>90	23W		R: 310LM Y: 195LM G: 1010LM B: 150LM W: 950~1150LM	3 Years
		96leds 5050 RGB flexible led strip	TY-ST50Q96V24W12-RGB					/				
7		120leds Double Rows 5050 flexible led strip	TY-ST50Q120V24W15-C	SMD 5050	120LEDs	15mm	DC24V	>90	28.8W		R: 540LM Y: 331LM G: 1600LM B: 240LM W: 1680~2050LM	3 Years
			TY-ST50Q120V24W20-C					20mm			DC24V	
		120leds Double Rows 5050 RGB flexible led strip	TY-ST50Q120V24W20-RGB			20mm	DC24V	/	28.8W			760LM

SMD2835 flexible led strip






NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour Temperature	Luminous Flux(lm)/M	Warranty			
				Type	QTY(M)										
1		60leds 2835 flexible led strip	TY-ST28Q60V12/24W08-C	SMD 2835	60LEDs	8mm	DC12/24V	>90	12W		880~960LM	3 Years			
			TY-ST28Q60V12/24W10-C			10mm	DC12/24V	>90							
2		S-shaped 60leds 2835 S bendable flexible led strip	TY-ST28Q60V12W08-SC	SMD 2835	60LEDs	8mm	DC12V	>90	12W		880~960LM	3 Years			
3		84leds 2835 flexible led strip	TY-ST28Q84V24W10-C			120LEDs	84LEDs	10mm	DC24V		>90	16.8W		1180~1300LM	3 Years
4		120leds 2835 flexible led strip	TY-ST28Q120V12/24W05-C					5mm	DC12/24V		>90	19.2W		1680~1855LM	3 Years
			TY-ST28Q120V24W06-C					6mm	DC24V		>90	10W			
			TY-ST28Q120V12/24W08-C	8mm	DC12/24V			>90	19.2W						
			TY-ST28Q120V12/24W10-C			10mm	DC12/24V	>90	24W						

5		140leds 2835 flexible led strip	TY-ST28Q140V24W10-C	SMD 2835	140LEDs	10mm	DC24V	>90	24W		1960~2100LM	3 Years
6		144leds 2835 flexible led strip	TY-ST28Q144V24W15-C		144LEDs	15mm	DC24V	>90	28.8W		2000~2220LM	3 Years
7		168leds 2835 flexible led strip	TY-ST28Q168V24W06-C		168LEDs	6mm	DC24V	>90	10W		700~750LM	3 Years
8		180leds 2835 flexible led strip	TY-ST28Q180V24W10-C		180LEDs	10mm	DC24V	>90	24W		700~750LM	3 Years
9		240leds 2835 single row flexible led strip	TY-ST28Q240V24W10-C		240LEDs	10mm	DC24V	>90	24W		1625~1800LM	3 Years
10		280leds 2835 multi-row flexible led strip	TY-ST28Q280V24W64-C		280LEDs	64mm	DC24V	>90	40W		3420~3750LM	3 Years
11		4.5-24V 2835 led strip light, each led can be cut	TY-ST28Q120V4.5/12/24W10-C		120LEDs	10mm	DC4.5-6V	>90	12W		/	3 Years
							DC12V	>90	14W			
							DC24V	>90	40W			






SMD5630 flexible led strip

NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		30leds 5630 flexible led strip	TY-ST56Q30V12W10-C	SMD 5630	30LEDs	10mm	DC12V	>90	7.2W	Warm White Natural White Cool White	580~630LM	3 Years
2		60leds 5630 flexible led strip	TY-ST56Q60V12W06-C		60LEDs	6mm	DC12V	>90	12W	Warm White Natural White Cool White	1165~1260LM	3 Years
		60leds 5630 flexible led strip	TY-ST56Q60V12/24/W10-C			10mm	DC12/24V	>90	14.4W			
3		72leds 5630 flexible led strip	TY-ST56Q72V24W10-C		72LEDs	10mm	DC24V	>90	17.28W	Warm White Natural White Cool White	1400~1520LM	3 Years
4		120leds Single Row 5630 flexible led strip	TY-ST56Q120V24W10-C		120LEDs	10mm	DC24V	>90	24W	Warm White Natural White Cool White	1920~2130LM	3 Years
5		120leds Double Rows 5630 flexible led strip	TY-ST56Q120V24W15-C	15mm		DC24V	>90	28.8W	Warm White Natural White Cool White			





SMD3014 flexible led strip

NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		60leds 3014 flexible led strip	TY-ST30Q60V12/24W08-C	SMD 3014	60LEDs	8mm	DC12/24V	>90	7.2W	Warm White Natural White Cool White	470~540LM	3 Years
		70leds 3014 flexible led strip	TY-ST30Q70V24W08-C		70LEDs	8mm	DC24V	>90	7.2W	Warm White Natural White Cool White	546~630LM	3 Years
2		120leds 3014 flexible led strip	TY-ST30Q120V12/24W05-C		120LEDs	5mm	DC12/24V	>90	12W	Warm White Natural White Cool White	936~1080LM	3 Years
			TY-ST30Q120V12/24W08-C			8mm	DC12/24V	>90	14.4W	Warm White Natural White Cool White	1000~1260LM	3 Years
3		140leds 3014 flexible led strip	TY-ST30Q140V24W10-C		140LEDs	10mm	DC24V	>90	14.4W	Warm White Natural White Cool White	1000~1260LM	3 Years
4		204leds 3014 flexible led strip	TY-ST30Q204V12/24W10-C		204LEDs	10mm	DC12/24V	>90	20.4W	Warm White Natural White Cool White	1430~1672LM	3 Years
5		240leds 3014 flexible led strip	TY-ST30Q240V12/24W10-C		240LEDs	10mm	DC12/24V	>90	24W	Warm White Natural White Cool White	1680~1968LM	3 Years








SMD3014 side view flexible led strip





NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		60leds side view led strip	TY-ST30Q60V12/24W08-C	SMD 3014	60LEDs	8mm	DC12/24V	>90	6W	Warm White Natural White Cool White	420~450LM	3 Years
2		84leds side view led strip	TY-ST30Q84V24W10-C		84LEDs	10mm	DC12/24V	>90	8.4W	Warm White Natural White Cool White	580~630LM	3 Years
3		120leds side view led strip	TY-ST30Q120V12/24W08-C		120LEDs	8mm	DC24V	>90	12W	Warm White Natural White Cool White	840~910LM	3 Years
4		156leds side view led strip	TY-ST30Q156V24W08/10-C		156LEDs	8mm 10mm	DC24V	>90	15.6W	Warm White Natural White Cool White	1000~1120LM	3 Years
5		020 sive view RGB led srip light	TY-ST020Q60V12W10-RGB		60LEDs	10mm	DC12V	/	12W	RGB	340LM	3 Years

SMD5050 **RGBW** flexible led strip









NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		30leds Regular 5050 RGB+W led strip	TY-ST50Q30V12W10-RGB+W	SMD 5050	30LEDs	10mm	DC12V	>90	7.2W	Normal RGB+W	RGB: 150LM White: 260LM	3 Years
2		60leds Regular 5050 RGB+W led strip	TY-ST50Q60V12/24W12-RGB+W		60LEDs	12mm	DC12/24V	>90	14.4W	Normal RGB+W	RGB: 190LM White: 520LM	3 Years
3		72leds Regular 5050 RGB+W led strip	TY-ST50Q72V12/24W12-RGB+W		72LEDs	12mm	DC12/24V	>90	17.2W	Normal RGB+W	RGB: 227LM White: 620LM	3 Years
4		96leds Regular 5050 RGB+W led strip	TY-ST50Q96V24W12-RGB+W		96LEDs	12mm	DC24V	>90	23.04W	Normal RGB+W	RGB: 300LM White: 820LM	3 Years
5		120leds Regular 5050 Double Rows RGB+W led strip	TY-ST50Q120V12W20-RGB+W	SMD 5050	120LEDs	20mm	DC12V	>90	28.8W	Normal RGB+W	RGB: 380LM White: 1050LM	3 Years
6		144leds Regular 5050 Double Rows RGB+W led strip	TY-ST50Q144V24W20-RGB+W		144LEDs	20mm	DC24V	>90	34.4W	Normal RGB+W	RGB: 455LM White: 1250LM	3 Years
7		30leds 4 in 1 5050 RGBW led strip	TY-ST50Q30V12/24W10-RGBW		30LEDs	10mm	DC12/24V	>80	9.6W	RGBW	430LM	3 Years
8		60leds 4 in 1 5050 RGBW led strip	TY-ST50Q60V12/24W10-RGBW		60LEDs	10mm	DC12/24V	>80	19.2W	RGBW	850LM	3 Years
			TY-ST50Q60V12/24W12-RGBW			12mm	DC12/24V	>80	19.2W	RGBW	850LM	3 Years
9		72leds 4 in 1 5050 RGBW led strip	TY-ST50Q72V24W12-RGBW		72LEDs	12mm	DC24V	>80	23.04W	RGBW	1000LM	3 Years
10		84leds 4 in 1 5050 RGBW led strip	TY-ST50Q84V12/24W12-RGBW		84LEDs	12mm	DC12/24V	>80	26.88W	RGBW	1160LM	3 Years
11		96leds 4 in 1 5050 RGBW led strip	TY-ST50Q96V24W12-RGBW		96LEDs	12mm	DC24V	>80	30.72W	RGBW	1400LM	3 Years
12		60leds 5 in 1 5050 RGB+CCT led strip	TY-ST50Q60V24W12-RGB+CA		60LEDs	12mm	DC24V	>80	19.2W	5 in one led RGB+CCT	WW: 340LM CW: 430LM RGB: 430LM	3 Years

CCT Tunable flexible led strip





NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty	
				Type	QTY(M)								
1		60leds 3528 CCT Tunable led strip	TY-ST35Q60V12W08-CA	SMD 3528	60LEDs	8mm	DC12V	>90	4.8W	WW+CW	300LM	3 Years	
2		120leds 3528 CCT Tunable led strip	TY-ST35Q120V12/24W10-CA		120LEDs	10mm	DC12/24V	>90	9.6W	WW+CW	590LM	3 Years	
3		120leds 3528 CCT Tunable led strip (dual color one led)	TY-ST35Q120V12/24W10-CA		120LEDs	10mm	DC12/24V	>80	19.2W	WW+CW	1430LM	3 Years	
4		240leds 3528 CCT Tunable led strip	TY-ST35Q240V24W15-CA		240LEDs	15mm	DC24V	>90	19.2W	WW+CW	2380LM	3 Years	
5		60leds 5050 CCT Tunable led strip	TY-ST50Q60V12/24W10-CA		SMD 5050	60LEDs	10mm	DC12/24V	>90	14.4W	WW+CW	930LM	3 Years
6		60leds 5050 CCT Tunable led strip (dual color one led)	TY-ST50Q60V12/24W10-CA			60LEDs	10mm	DC12/24V	>80	19.2W	WW+CW	1450LM	3 Years
7		224leds 3014 CCT Tunable led strip	TY-ST30Q224V24W10-CA		SMD 3014	224LEDs	10mm	DC24V	>90	23W	WW+CW	1880LM	3 Years

8		112leds 2835 CCT Tunable led strip	TY-ST28Q112V24W10-CA	SMD 2835	112LEDs	10mm	DC24V	>90	19.2W	WW+CW	1640LM	3 Years
9		120leds 2835 CCT Tunable led strip	TY-ST28Q120V12/24W10-CA		120LEDs	10mm	DC12/24V	>90	24W	WW+CW	1750LM	3 Years
10		60leds 5630 CCT flexible Tunable led strip	TY-ST56Q60V24W10-CA	SMD 5630	60LEDs	10mm	DC24V	>90	14.4W	WW+CW	1210LM	3 Years
11		112leds 5630 CCT Tunable led strip	TY-ST56Q112V24W10-CA		112LEDs	10mm	DC24V	>90	23W	WW+CW	2250LM	3 Years

IC designed Constant Current flexible led strip light - No voltage drop





NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		10 meters/Roll Extra long 60leds 5050 flexible led strip	TY-ST50Q60V24W10-CC	SMD 5050	60LEDs	10mm	DC24V	>90	12W	Warm White Natural White Cool White	830~960LM	3 Years
2		15 meters/Roll Extra long 60leds 5050 RGB flexible led strip	TY-ST50Q60V24W10-CCRGB		60LEDs	12mm	DC24V	>90	11W	RGB	380LM	3 Years
3		15 meters/Roll constant current Extra long 4 in 1 60leds 5050 RGBW led strip ※ No voltage drop	TY-ST50Q60V24W12-CCRGBW		60LEDs	12mm	DC24V	>90	11W	4 in one led RGBW	550LM	3 Years
4		15 meters/Roll constant current Extra long 5 in 1 60leds 5050 RGB+CCT led strip ※ No voltage drop	TY-ST50Q60V24W15-CCRGB+CA		60LEDs	15mm	DC24V	>80	12W	5 in one led RGB+CCT	WW: 340LM CW: 430LM RGB: 430LM	3 Years
5		10 meters/Roll Extra long 60leds 2835 flexible led strip	TY-ST28Q60V24W10-CC	SMD 2835	60LEDs	10mm	DC24V	>90	12.5W	Warm White Natural White Cool White	850~930LM	3 Years
6		15 meters/Roll Extra long 60leds 2835 flexible led strip	TY-ST28Q60V24W10-CC		60LEDs	10mm	DC24V	>90	10.46W	Warm White Natural White Cool White	780~900LM	3 Years
7		20 meters/Roll Extra long 60leds 2835 flexible led strip	TY-ST28Q60V24W12-CC		60LEDs	12mm	DC24V	>90	8.5W	Warm White Natural White Cool White	670~780LM	3 Years
8		30 meters/Roll Extra long 90leds 2835 flexible led strip	TY-ST28Q90V36W12-CC	SMD 2835	90LEDs	12mm	DC36V	>90	7.2W	Warm White Natural White Cool White	660~720LM	3 Years

9		30 meters/Roll Extra long 90leds 3528 flexible led strip	TY-ST35Q90V36W10-CC	SMD 3528	90LEDs	10mm	DC36V	>90	7.2W	Warm White Natural White Cool White	423~470LM	3 Years
10		15 meters/Roll Extra long 120leds 2835 Constant current CCT adjustable flexible led strip	TY-ST28Q120V24W12-CCCA	SMD 2835	120LEDs	12mm	DC24V	>90	12W	3000-6500K	520~580LM	3 Years
11		5 meters/Roll Extra long 70leds 2835 flexible led strip	TY-ST28Q70V24W10-CC		70LEDs	10mm	DC24V	>90	12W	Warm White Natural White Cool White	980~1080LM	3 Years
12		5 meters/Roll Extra long 112leds 2835 flexible led strip	TY-ST28Q112V24W10-CC		112LEDs	10mm	DC24V	>90	19.2W	Warm White Natural White Cool White	1570~1700LM	3 Years
13		5 meters/Roll Extra long 120leds 2835 flexible led strip	TY-ST28Q120V24W10-CC		120LEDs	10mm	DC24V	>90	24W	Warm White Natural White Cool White	1680~1820LM	3 Years
14		150lm/W 5 meters/Roll Extra long 128leds Samsung 2835 flexible led strip	TY-ST28Q128V24W12-CC		128LEDs	12mm	DC24V	>90	22W	Warm White Natural White Cool White	2680~2800LM	3 Years
15		5 meters/Roll Extra long 140leds 2835 Double row flexible led strip	TY-ST28Q140V24W15-CC		140LEDs	15mm	DC24V	>90	24W	Warm White Natural White Cool White	1960~2130LM	3 Years
16		150lm/W 5 meters/Roll Extra long 128leds Samsung 2835 flexible led strip	TY-ST28Q128V24W12-CC	Samsung SMD 2835	128LEDs	12mm	DC24V	>90	22W	Warm White Natural White Cool White	2680~2800LM	3 Years
17		5 meters/Roll Extra long 70leds 3528 flexible led strip	TY-ST35Q70V24W10-CC	SMD 3528	70LEDs	10mm	DC24V	>90	4.8W	Warm White Natural White Cool White	330~365LM	3 Years
18		5 meters/Roll Extra long 228leds 3528 flexible led strip	TY-ST35Q228V24W12-CC	SMD 3528	228LEDs	12mm	DC24V	>90	18.24W	Warm White Natural White Cool White	1070~1162LM	3 Years





19		150lm/W 5 meters/Roll Extra long 128leds Samsung 5630 flexible led strip	TY-ST56Q128V24W12-CC	Samsung SMD 5630	128LEDs	12mm	DC24V	>90	22W	Warm White Natural White Cool White	2680~2800LM	3 Years
20		5 meters/Roll Extra long 70leds 5630 flexible led strip	TY-ST56Q70V24W12-CC	SMD 5630	70LEDs	12mm	DC24V	>90	14.4W	Warm White Natural White Cool White	1350~1470LM	3 Years
21		5 meters/Roll Extra long 126leds 5630 flexible led strip	TY-ST56Q126V24W12-CC		126LEDs	12mm	DC24V	>90	26W	Warm White Natural White Cool White	2400~2600LM	3 Years
22		5 meters/Roll Extra long 140leds 5630 Double row flexible led strip	TY-ST50Q140V24W16-CC		140LEDs	16mm	DC24V	>90	28.8W	Warm White Natural White Cool White	2700~2900LM	3 Years

High Efficiency Flexible Led Strip Light - 160lm/W&190lm/W

Constant Voltage(CRI>90 - 130LM/W)

NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
1		CV - 64LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q64V24W10-C	Epistar SMD 2835	64LEDs	10mm	DC24V	>80	9.6W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		
2		CV - 80LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q80V24W10-C	Epistar SMD 2835	80LEDs	10mm	DC24V	>80	12W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		
3		CV - 128LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q128V24W10-C	Epistar SMD 2835	128LEDs	10mm	DC24V	>80	18W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		
4		CV - 160LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q160V24W10-C	Epistar SMD 2835	160LEDs	10mm	DC24V	>80	21W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		

IC designed Constant Current - without brightness(voltage) drop

NO.	Picture	Item Name	Item NO.	LED		PCB Width (mm)	Working Voltage	CRI (Ra)	Watt (M)	Colour	Luminous Flux(lm)/M	Warranty
				Type	QTY(M)							
5		CC - 64LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q64V24W10-CC	Epistar SMD 2835	64LEDs	10mm	DC24V	>80	9.6W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		
6		CC - 80LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q80V24W10-CC	Epistar SMD 2835	80LEDs	10mm	DC24V	>80	12W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		
7		CC - 128LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q128V24W12-CC	Epistar SMD 2835	128LEDs	12mm	DC24V	>80	18W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		
8		CC - 160LEDs CRI>80 160LM&190LM/W CRI90>90 130LM/W 2835 LED Strip Light	TY-ST28Q160V24W12-CC	Epistar SMD 2835	160LEDs	12mm	DC24V	>80	21W	Warm White	160LM/W 190LM/W	3 Years
										Natural white		
										Cold White		